




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP-1 R 10 mg

Report To:
Axis Research Supply Inc

Compound: GLP-1 R
Quantity: 10 mg
Laboratory ID: V260728-21 010
Lot Number: AX623207-010
Date Reported: 8/16/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity	HPLC-UV/VIS	>99.80% $\pm$ 0.18%
Quantity	HPLC-UV/VIS	9.39 mg
Endotoxins	LAL	Pass - <5.00 EU/mg*

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 8/16/2026

Approved By: Tori Johnson, Operations Manager on 8/16/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP-1 R 10 mg

Report To:
Axis Research Supply Inc

Compound: GLP-1 R
Quantity: 10 mg
Laboratory ID: V260728-21 010
Lot Number: AX623207-010
Date Reported: 8/16/2026

Analysis	Method	Result
Sterility	USP <71>	Pass - No Growth Detected

Report By: Dustin Newman, Laboratory Director on 8/16/2026

Approved By: Tori Johnson, Operations Manager on 8/16/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.